

Date of Final Report: 5/2/24

Water Analysis Report

Bryce Burkhalter
bburkhalter@cityofwimberley.com
832-758-3227

Sample #: 177628

Bryce Burkhalter,

EARDC Laboratory received (1) sample on 4/23/24 for the analysis presented in the following report.

This final report provides results only to the sample(s) as received for the above referenced lab sample numbers. The EARDC laboratory certifies that the results are NELAP compliant, unless otherwise noted, and in accordance with the referenced methods. This document contains (3) pages.

The Case narrative provides explanations for any deviations from, additions to or exclusions from the methods and defines any abbreviations. The EARDC Laboratory will not reproduce this report without written authorization from the client.

Thank you for selecting the EARDC laboratory for your analytical needs. If you have any questions regarding these results, please contact us at (512)245-2329. We look forward to assisting you again.

Sincerely,


EARDC Laboratory Representative



Water Analysis Report

Bryce Burkhalter
 bburkhalter@cityofwimberley.com
 832-758-3227

Lab Sample #: 177628

Date Sampled: 4/23/24
Date Received (by lab): 4/23/24
Date Reported: 5/2/24

Time Sampled: 8:15a
Time Received: 9:19a
Sample Description: non -potable

Sample ID: 177628
Sample Type: Grab
 week 1

Parameter	Results	MDL	PQL	Units	Date		Analyst	Method	Qualifier
					Analyzed	Time Analyzed			
E.coli	39	1	----	MPN/100mL	04/23/24	4:25p	ma/tc	SM9223B-2016	

Bryce Burkhalter

bburkhalter@cityofwimberley.com

832-758-3227

Case Narrative

Sample #: 177628

MDL= Method Detection Limit

LOQ = Limit of Quantitation

mg/L = milligrams per liter

M= Standard Methods for the Examination of Water and Wastewater

E = Environmental Protection Agency

N - EARDC not NELAP accredited for this analysis

A- Not available for accreditation

B- Analyte detected in blank (negative control) but concentration is not greater than 1/10 sample concentration

F- QC parameter failed

S -Spike Recovery or Spike RPD failed. All other QC passed, so recovery problem judged to be either matrix or solution related not system related. Results reported and QC Flagged.

I - Results invalidated due Quality Control (QC) failure

H - Holding time exceeded

V - Value above Quantitative Range

L - LOQ is multiplied by dilution Factor

SC - subcontracted

